

## Ammonium Polyphosphate 11-37-0

CHEMICAL ANALYSIS				
Component	Units	Minimum	Maximum	Typical
Total Nitrogen	wt. % N	11.0		11.2
Total Phosphate	wt. % P <sub>2</sub> O <sub>5</sub>	37.0		37.2
Polyphosphate	% of Total P <sub>2</sub> O <sub>5</sub>			70.2
Aluminum	wt. % Al <sub>2</sub> O <sub>3</sub>			0.7
Calcium	wt. % CaO			0.02
Fluoride	wt. % F			0.14
Iron	wt. % Fe <sub>2</sub> O <sub>3</sub>			0.5
Magnesium	wt. % MgO			0.17
рН				6.1
Solids	wt. %			0
Sulfate	wt. % SO <sub>4</sub>			1.8

## PHYSICAL ANALYSIS

Component	Units	Typical
Color		Green
Density (@75⁰F)	lb/US gal	12.01
	lb P <sub>2</sub> O <sub>5</sub> /US gal	4.5
	US gal/ton	167
Salt Out Temperature	°F (°C)	32 (0)
Specific Gravity	@ 75°F/24°C	1.440
Viscosity	cP (40ºF/4ºC)	164
	cP (65ºF/18ºC)	92
	cP (100°F/38°C)	41

## SHELF LIFE and STORAGE STATEMENT

When stored in properly selected containers at temperatures less than 70°F (21°C), **POLY11** is expected to have a shelf life of at least 9 months from the date of manufacturing. **POLY11** shelf life has been observed to decrease rapidly when stored at temperatures above 90°F (32°C). No formal shelf life testing or assignment of expiry date has been performed for this product.

## Refer to a Safety Data Sheet for more information

Typical results are based on the analysis of a composite sample from a bulk shipment. Grab samples or individual car samples may fall outside of the typical range.

To the best of Nutrien's knowledge, the information contained herein is accurate and reliable as of the date compiled; however, Nutrien makes no representation, warranty or guarantee as to the information's accuracy, reliability, completeness or timeliness. It is the user's responsibility to determine the suitability and completeness of such information for the user's own uses or purposes. Nutrien does not accept any liability for any loss or damage that may occur from any use of this information.

The manufacturer's representative for this product is the following subsidiary of Nutrien Ltd.:

PCS Sales (USA) Inc. · Suite 150, 500 Lake Cook Road. · Deerfield, IL · 60015 · (847) 849-4200 · 1-800-524-0132