

SAFETY DATA SHEET

UREA

Section 1. Identification

Product identifier	: UREA
Product code	: URGRAN, URGRANOS, URGRANTF, URGRANFR, URPRILOS, URPRL, URPRLAG, URPRLC, URPRLCH, URPRLENV, URPRLMIA, URPRLMII, 509, 510, 2494, 2495
SDS #	: N-2354
Other means of identification	: This safety data sheet applies to the following: Urea Granular (Agricultural, Turf, and Forestry Grades) 46-0-0 Urea Granular Off Spec Urea Prill Fines Urea Prilled (Industrial, Agricultural 46-0-0, Commercial, Chemical, and Environmental Grades) Urea Microprilled (Agricultural 46-0-0 and Industrial Grades) Urea 46-0-0 (Granular Ag Grade, Fines, and ROP) Urea Industrial Grade
Product type	: Solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Fertilizer. Manufacture of chemical products. Manufacture of intermediates. Manufacture of personal care products. Manufacture of pharmaceutical products. Manufacture of resins. Manufacture of specialty fertilizers. Pollution control products.
Uses advised against
Not available.

Supplier's details	: PCS Sales (Canada), Inc. (A Subsidiary of Nutrien Ltd.) Suite 1700 211 - 19th Street East Saskatoon SK S7K 5R6 Canada Agrium Canada Partnership (A Subsidiary of Nutrien Ltd.) 13131 Lake Fraser Drive S.E. Calgary AB T2J 7E8 Canada
Telephone no.	: 1-800-524-0132
Email	: sds@nutrien.com
Emergency telephone number (with hours of operation)	: CHEMTREC (24 hrs) 1-800-424-9300 or +1-703-527-3887

Section 2. Hazard identification

Classification in accordance with the Hazardous Products Regulations (SOR/2015-17; SOR/2022-272)

Classification of the substance or mixture : Not classified.

GHS label elements

Hazard pictograms : Not applicable.

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

General : Read carefully and follow all instructions. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Hazards not otherwise classified : Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

Section 3. Composition/information on ingredients

Substance/mixture : Substance

Ingredient name	% (w/w)	Identifiers
urea	95.6 - 99.7	CAS: 57-13-6
urea, reaction product with formaldehyde	<4.4	CAS: 68611-64-3
biuret	<1.5	CAS: 108-19-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation : Remove person to fresh air and keep comfortable for breathing. If exposed person is not breathing, give artificial respiration or oxygen applied by trained personnel. Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Section 4. First-aid measures

- Eye contact** : No known significant effects or critical hazards. May cause irritation due to mechanical action.
- Inhalation** : No known significant effects or critical hazards. Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
- Skin contact** : No known significant effects or critical hazards. May cause irritation due to mechanical action. Prolonged or repeated contact may dry skin and cause irritation.
- Ingestion** : Over-exposure by ingestion is unlikely under normal working conditions. No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
irritation
redness
watering
- Inhalation** : Adverse symptoms may include the following:
irritation
coughing
wheezing and breathing difficulties
- Skin contact** : Adverse symptoms may include the following:
redness
dryness
- Ingestion** : Adverse symptoms may include the following:
nausea or vomiting
diarrhea

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment. If necessary, veterinary advice may be obtained by calling the Medical Emergency number in Section 1.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. Decontamination measures may be necessary. Personnel and equipment must be checked and decontaminated prior to leaving the area.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Non-flammable. Material will not burn. Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : No specific fire or explosion hazard.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
ammonia gas
cyanuric acid (solid)

Section 5. Fire-fighting measures

- Special protective actions for fire-fighters** : No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Contain and collect the water used to fight the fire for later treatment and disposal.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Recover the material and use it for the intended purpose.
or
Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Use appropriate equipment to put the spilled substance in a container for reuse or disposal. Recycle to process, if possible.
or
Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing dust. Use with adequate ventilation.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. May form steep piles that can collapse without warning when transported or stored in bulk. This may damage equipment and endanger workers. The risk of cliffing and sudden collapse increases if product is loaded or stored when hot or in high humidity conditions. Avoid forming steep slopes when removing product. If product has caked, cliffed, or has adhered to the storage or transport container, stay out of the potential engulfment zone in case the material collapses. Do not enter bins, railcars or trucks without conducting a risk assessment and following all confined space entry requirements. Ensure that consideration is given to fall protection and mobile equipment securement if applicable. Carefully loosen the set product from outside the container using mechanical vibration, sledge hammers, or other devices.

Ensure that bulk bags or smaller packaged products stored in tiers are stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport.

Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Contact your personal protective equipment supplier to verify the compatibility of the equipment for the intended purpose.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Section 8. Exposure controls/personal protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Use slip resistant footwear.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : Solid. [Granular solid. Crystals. Powder. Solid beads.]
- Color** : White.
- Odor** : Ammoniacal. [Slight]
- Odor threshold** : Not available.
- pH** : 7 to 10 [Conc. (% w/w): 10%]
- Melting point/freezing point** : 133°C (271.4°F)
- Boiling point or initial boiling point and boiling range** : Not available.
- Flash point** : [Product does not sustain combustion.]
- Evaporation rate** : Not available.
- Flammability** : Non-flammable.
- Lower and upper explosion limit/flammability limit** : Not applicable.
- Vapor pressure** : 0.08 kPa (0.6 mm Hg)
- Relative vapor density** : Not applicable.
- Relative density** : 1.33
- Density** : 0.71 to 0.81 g/cm³
- Bulk density** : 44 to 50 lb/ft³
- Solubility(ies)** :

Media	Result
water	Easily soluble

- Solubility in water** : 624 g/l [EU A.6]
- Partition coefficient: n-octanol/water** : <-1.73 [OECD 107]
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : 135°C (275°F)
- Viscosity** : Not applicable.

Section 9. Physical and chemical properties

Particle characteristics

Median particle size : Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur. If mixed with chlorine or hypochlorites, it may form nitrogen trichloride which may explode spontaneously in air.

Conditions to avoid : Keep container tightly closed. Absorbs moisture on long-term storage under high humidity conditions. Product forms slippery surface when combined with water. Keep away from heat and direct sunlight. Decomposes on heating to high temperature. Keep away from incompatible materials.

Incompatible materials : Fluorine, halogens, hydrogen peroxide, chlorinated hydrocarbons, nitric acid, oxidizing agents, and sulfuric acid

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name

urea

Result

Rat - Oral - LD50 8471 mg/kg

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Skin corrosion/irritation

Product/ingredient name

urea

Result

Human - Skin - Mild irritant

Conclusion/Summary [Product] : May cause slight transient irritation. Prolonged or repeated contact may dry skin and cause irritation. Effects are not sufficient for classification as hazardous.

Serious eye damage/eye irritation

Conclusion/Summary [Product] : No known significant effects or critical hazards. May cause irritation due to mechanical action.

Respiratory corrosion/irritation

Conclusion/Summary [Product] : No known significant effects or critical hazards. Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.

Section 11. Toxicological information

Respiratory or skin sensitization

Skin

Conclusion/Summary [Product] : Non-sensitizer to skin.

Respiratory

Conclusion/Summary [Product] : Non-sensitizer to lungs.

Germ cell mutagenicity

Product/ingredient name

urea

Result

In vitro - Bacteria - Somatic OECD [Bacterial Reverse Mutation Test] Result: Negative Metabolic activation: With and without

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Carcinogenicity

Product/ingredient name

urea

Result

Rat - Male, Female - Oral - TC US National Cancer Institute screening study 2250 mg/kg Result: Negative

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on the likely routes of exposure

Dermal contact. Eye contact. Inhalation.

Potential acute health effects

Eye contact : No known significant effects or critical hazards. May cause irritation due to mechanical action.

Inhalation : No known significant effects or critical hazards. Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.

Section 11. Toxicological information

- Skin contact** : No known significant effects or critical hazards. May cause irritation due to mechanical action. Prolonged or repeated contact may dry skin and cause irritation.
- Ingestion** : Over-exposure by ingestion is unlikely under normal working conditions. No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
irritation
redness
watering
- Inhalation** : Adverse symptoms may include the following:
irritation
coughing
wheezing and breathing difficulties
- Skin contact** : Adverse symptoms may include the following:
redness
dryness
- Ingestion** : Adverse symptoms may include the following:
nausea or vomiting
diarrhea

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : See above.
- Potential delayed effects** : See below.

Long term exposure

- Potential immediate effects** : See above.
- Potential delayed effects** : See below.

Potential chronic health effects

Product/ingredient name

urea

Result

Chronic - Rat - Male, Female - Oral - NOAEL US National Cancer Institute screening study 2250 mg/kg [12 months]

- Conclusion/Summary [Product]** : Prolonged or repeated contact may dry skin and cause irritation. Effects are not sufficient for classification as hazardous.

- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
urea	8471	N/A	N/A	N/A	N/A

Other information

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name

urea

Result

Acute - LC50 - Fresh water Fish - Giant gourami - *Colisa fasciata* - Fingerling 5000 µg/l [96 hours]
Acute - EC50 - Fresh water Daphnia - Water flea - *Daphnia magna* - Neonate 3910 mg/l [48 hours]
Chronic - NOEC - Fresh water Fish - Indian catfish - *Heteropneustes fossilis* 2 g/l [30 days]
Acute - EC50 Daphnia >150 mg/l [48 hours]
Acute - NOEC Daphnia 150 mg/l [48 hours]
Acute - EC50 Algae >100 mg/l [72 hours]
Acute - NOEC Algae 66 mg/l [72 hours]

urea, reaction products with formaldehyde

Conclusion/Summary [Product]

: Practically non-toxic to aquatic organisms. Excessive nutrient runoff to a body of water may result in eutrophication.

Persistence and degradability

Not available.

Conclusion/Summary [Product]

: Readily biodegradable.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
urea	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
urea	<-1.73	-	Low
urea, reaction products with formaldehyde	<0	-	Low

Mobility in soil

Soil/Water partition coefficient : 0.037 Koc

Other adverse effects

Section 12. Ecological information

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	TDG Classification	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

Canadian lists

CEPA Toxic substances : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Section 15. Regulatory information

Not listed.

Inventory list

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: Not determined.
Eurasian Economic Union	: Russian Federation inventory : All components are listed or exempted.
Japan	: Japan inventory (CSCL) : All components are listed or exempted. Japan inventory (ISHL) : Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: Not determined.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are active or exempted.
Viet Nam	: All components are listed or exempted.

Section 16. Other information

History

Date of issue/Date of revision	: 4/16/2026
Date of previous issue	: No previous validation
Version	: 1
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor DOT = Department of Transportation GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group TDG = Transportation of Dangerous Goods UN = United Nations

Procedure used to derive the classification

Not classified.

✔ Indicates information that has changed from previously issued version.

Notice to reader

Section 16. Other information

Supply chain partners must ensure they pass this SDS, and all other relevant safety information to their customers.

DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. **HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS.** This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.